

POS | LABEL | PORTABLE | PANEL | KIOSK

# SPRT

Specialized, Pioneer, Revolution, Technology




# POS

## PRINTER SOLUTIONS

>> Receipt Printer

# SPRT 80MM POS PRINTERS

**SPRT**


## Advantages :

- Industrialized design, small size, powerful function, multiple interfaces
- With auto cutter, support 80mm large paper roll
- Support voice broadcast function
- Integrated design of key board and main board
- 1 meter drop test
- Fully enclosed design of the paper bin, prevents water from flowing onto the main board

## Application Scenarios :



Tax



Receipt



Retail



POS



Catering



Garment

## SP-POS8811

## Professional 80mm POS Receipt Printer

|                         |                                                          |
|-------------------------|----------------------------------------------------------|
| Print Method            | Thermal line                                             |
| Resolution              | 8dots/mm(203 dpi), 576dots/line                          |
| Print Speed             | 220mm/s (25%Printing Density)                            |
| Paper Width             | 79.5±0.5mm                                               |
| Self-defined Characters | Yes                                                      |
| Spanish                 | 12×24 Points                                             |
| Chinese                 | 24×24 Dots                                               |
| Interface               | USB+Ethernet                                             |
| Support Functions       | Paper Out Alarm, Overheating Protection, Voice Broadcast |
| Cash Drawer Control     | DC24V,1A,6-wire RJ-11socket                              |
| Power Requirements      | DC24V±10%,2A, A-1009-3P Power Socket                     |
| Paper Type              | Thermal Paper 79.5×φ80mm(MAX)                            |
| Paper Thickness         | 0.06mm~0.08mm                                            |
| Maximum Outer Diameter  | φ80mm                                                    |
| Minimum Inner Diameter  | φ13mm                                                    |
| Paper Loading Method    | Easy Loading                                             |
| Paper Cutting Method    | Half Cut                                                 |
| Auto Cutter             | 1,500,000 cuts                                           |
| Appearance Size         | 165mm×120mm×119mm(L×W×H)                                 |
| Character Set           | ASCII,GB18030(Chinese),BIG5,Codepage                     |
| TPH                     | 150KM                                                    |
| Operation Temp/Humidity | 5°C~50°C/10%~80%                                         |
| Storage Temp/Humidity   | -20°C~60°C /10%~90%                                      |

The final interpretation right belongs to SPRT

About us:Beijing Spirit Technology Development Co.,Ltd. (SPRT) is founded in 1999. Passed OMSC ISO9000 in 2001. We are High-tech Company professional indesigning, developing and sales of Thermal Printer and Dot Matrix Printer. The main productsare POS printer,Label printer,Portableprinter,Micro Panel printer and Kiosk printer which are used in Financial, Medical, Tax, Police, Logistics, Fire Control etc.

